



ISUZU
RED TECH™
Reliable. Eco-friendly. Durable. Technologically Advanced

POWER UNITS

Dependable Power

C-Series - 23.9 HP MAX. (17.8 KW) @ 3000 RPM

L-Series - 66 HP MAX. (49 KW) @ 1800 RPM

J-Series - 113 HP MAX. (84 KW) @ 2200 RPM

H-Series - 188 HP MAX. (140 KW) @ 2000 RPM

THINKING INSIDE the box



Power that is quiet, low maintenance
and fuel efficient...with Tier 4 Final
enclosed solutions to meet your
exact requirements.

Certifications
U.S. EPA Tier 4
EU Stage **III B**
Export

isuzuengines.com



Agricultural General Industrial Marine Eco-Friendly Automotive On Road Heavy Duty

Applications

AWP Water Pump Hydraulic Pump Refrigeration Generator Asphalt Paver Irrigation

ISUZU
DIESEL



The Strength to Work Harder.

PRODUCT HIGHLIGHTS



Isuzu Diesel Power Units with custom enclosures allow you to think outside the box to meet your exact application requirements.

Cooling package with aluminum or copper design for maximum durability based on application


Front mounting structure offers a wide variety of fixing locations to accommodate specific requirements

Engineered intake exhaust systems using leading industry replacement elements

Inclement weather protected exhaust pipe designed to endure the elements

DOC (Diesel Oxidation Catalyst) can be located above or at the rear of the engine to meet required space configurations

Complete electronic Meter Board monitoring systems are available to ensure reliable operation



4LE2 Power Unit with Generator Attachment


Isuzu Diesel Power Units and Accessory Kits are designed to fit Aerial Work Platforms, Water pumps, Hydraulic Power Packs, Irrigation Systems, Asphalt Paver Equipment, and more.

Durable wiring harness to ensure the right connections for every customer need.

Accessory Kits Customized to Fit Every Need



Top Mount DOC



Wire Harness



Meter Board

Note: Every Isuzu Diesel Power Unit Accessory component and their replacements are selected from leading suppliers such as Donaldson, Denso, JB Radiator, Gates, Enovation Controls, etc.

Reliable. Eco-friendly. Durable. Technologically Advanced.




The Strength to Work Harder.

Series Info


-410

Open Power Unit
Pedestal mtg feet FRT & RR




-415

Open Power Unit
Skid base & mtg feet FRT & RR




-420

Open Power Unit
Pedestal mtg feet (FRT only)




-500-599

OEM/Custom



Available Engines



C Series

8.8 - 17.8 kW (23.9 HP Max.)
U.S. EPA Tier 4 Final
Displacement .99L - 1.6L
2 Year / 2000 hour warranty



4L Series

30 - 49 kW (66 HP Max.)
U.S. EPA Tier 4 Final
Displacement 2.2L
5 Year / 5000 hour warranty



4J Series

52 - 84 kW (113 HP Max.)
U.S. EPA Tier 4 Final
Displacement 3.0L
5 Year / 5000 hour warranty



4H Series

129 - 140 kW (188 HP Max.)
U.S. EPA Tier 4 Final
Displacement 5.2L
5 Year / 5000 hour warranty



Market ready product is available at www.isuzuengines-info.com or for additional information, please contact your local distributor or visit www.isuzuengines.com

Isuzu Motors America, LLC
46401 Commerce Center Drive
Plymouth, Michigan 48170
Phone: 734.582.9470
Fax: 734.455.7581

ILS-CLJHP/U-017-2

isuzuengines.com

